



Easy Cut & Bevel  
[www.cofim.co.uk](http://www.cofim.co.uk)

Cofim Ltd  
Unit1, Marrtree Business Park  
Berwick upon Tweed  
TD15 1UP  
01289 309757  
[www.cofim.co.uk](http://www.cofim.co.uk)


**Pipe Cutting  
Pipe Beveling  
Pipe Facing**

# Solutions

Cofim has been innovational in the design and manufacture of pipe and tube processing equipment since 1986 and specialises in the supply of high quality, industrial pipe cutting, beveling and facing machinery.

With experience in most areas of industry, including Oil and Gas, Nuclear, Aerospace, Petro-Chemical, Fluid Transportation and Military, we are able to offer custom design or modifications of our regular product range to meet specific requirements.

All Cofim equipment is available on rental contract or sale.




# Pipe Cutting

The CTO series of clamshell (split frame) pipe cutters offer pipe diameter cutting ranging from the CTO 89 - 1 inch to 3 inches up to the CTO 1400 - 44 inches to 55 inches, with models for all sizes between. The CTO range is manufactured to the highest industrial standards and are ideal for in-line and on-site cutting.



# Pipe Beveling

The TU series of pipe beveling equipment offers a wide range of internal clamping machines designed for pipe diameters ranging from 18 mm up to 900 mm. Manufactured to the highest industrial standards these machines make external and internal beveling easy. Our BM14 and BM24 bench mounted machines are suitable for pipe diameters 78mm to 360mm and 220mm to 610mm respectively.



# Pipe Facing

The DE 3-25 and the DE 20-63 portable pipe end squaring machines make the squaring of smaller diameter pipe ends easy. The DE-25 is suitable for tubes with a diameter range of 3mm to 25.4mm and the DE 20-63 20mm to 63mm. The TU DC 168 and the TU DC 115 are for tube diameters 63mm to 168 mm and 15mm to 115mm respectively. The TUD Special is for pipe diameters 7mm to 61mm.



## Quick Reference Chart for Cofim Equipment

Pipe Cutting Machines	CTO 89	CTO114	CTO168	CTO273	CTO406	CTO508	CTO610	CTO760	CTO914	CTO1200	CTO1400
Pipe Diameter	1" - 3"	2" - 4"	2" - 6"	6" - 10"	10" - 16"	12" - 20"	16" - 24"	20" - 36"	28" - 36"	36" - 48"	44" - 55"
Weight	16kg	15kg	20kg	38kg	80kg	100kg	130kg	160kg	195kg	250kg	240kg

Pipe Beveling Machines	TUC	TU2	TU3	TU5	TU6	TU10	TU12	TU14
Internal Clamping								
Pipe Diameter (mm)	20 - 40	18 - 46	27 - 106	50 - 200	130 - 400	100 - 400	130 - 650	500 - 900
	BM14	BM24						
Pipe Diameter (mm)	78 - 360	220 - 610						
External Clamping	PBM 4	PBM 6	PBM 16	PBM 24	PBM 30			
Pipe Diameter (mm)	20 - 116	46 - 180	80 - 410	215 - 620	215 - 780			
Pipe Facing Machines	PBM 4	PBM 6	PBM 16	PBM 24	PBM 30			
Pipe Diameter (mm)	20 - 116	46 - 180	80 - 410	215 - 620	215 - 780			



For further information please contact Cofim Uk at:

Unit1, Marrtree Business Park  
Berwick upon Tweed  
TD15 1UP  
01289 309757  
www.cofim.co.uk